| } | |
|--|--|
| | |
| <u> </u> | |
| D C | |
| 5 | |
| Dea | |
| e | |
| Ç. | |
| 5 | |
| HRW material copyrighted under notice appearing earner in the constraint of the cons | |
| ę, | |
| | |
| do | |
| ÷ | |
| ter | |
| ma | |
| ¥ | |
| I | |

| Name | | |
|------|-------|--|
| Date | Class | |



Analyzing Amino-Acid Sequences to Determine Evolutionary Relationships

Skills

- comparing and contrasting sequences of amino acids
- interpreting data

Objectives

- · Identify the differences in the amino-acid sequences of the cytochrome c and hemoglobin molecules of several species.
- · Infer the evolutionary relationships among several species by comparing amino-acid sequences of the same protein in different organisms.

Materials

- paper
- pencil

purpose

You are a zoologist who specializes in the classification of vertebrates according to their evolutionary relationships. In your research, you examine the amino-acid sequences of particular protein molecules found in vertebrates to determine the degree of biochemical similarity between vertebrate species. Today you will compare portions of human cytochrome c and hemoglobin molecules with the same portions of those molecules in other vertebrate species. Your goals are to determine the differences in the amino-acid sequences of the molecules and to deduce the evolutionary relationships among the species.

Background

The biochemical comparison of proteins is a techn ique used to determine evolutionary relationships among organisms. Proteins consist of chains of amino acids. The sequence, or order, of the amino acids in a protein determines the type and nature of the protein. In turn, the sequence of amino acids in a protein is determined by the sequence of nucleotides in a gene. A change in the DNA nucleotide sequence (mutation) of a gene that codes for a protein may result in a change in the amino-acid sequence of the protein _

Biochemical evidence of evolution compares favo xably with structural evidence of evolution. Even organisms that appear to have few physical similarities may have similar sequences of amino acids in their proteins and be closely related through evolution. Researchers believe that the greater the similarity in the amino-acid sequences of two organisms, the more closely related they are in an evolutionary sense. Conversely, the greater the tirme that organisms have been diverging from a common ancestor, the greater the differences that can be expected in the amino-acid sequences of their proteins.

Two proteins are commonly studied in attempting to deduce evolutionary relationships from differences in amino-acid sequen ces. One is cytochrome c, and the other is hemoglobin. Cytochrome c is a protein used in cellular respiration and found in the mitochondria of many organis rns. Hemoglobin is the oxygencarrying molecule found in red blood cells.



Procedure

Part 1—Cytochrome c

1. A cytochrome c molecule consists of a chain of 104 amino acids. The chart below shows the amino-acid sequence in corresponding parts of the ecytochrome c molecules of nine vertebrates. The numbers along the side of the chart refer to the position of these sequences in the chain. The Letters identify the specific amino acids in the chain.

Cytochrome c Amino-Acid Sequences

| AA# | Horse | Chicken | Tuna | Frog | Human | Shark | Turtle | Mon L ∢ey | Rabbit |
|-----|----------|---------|------|------|-------|-------|--------|------------------|--------|
| 42 | Q | Q | Q | Q | Q | Q | Q | Q | Q |
| 43 | Α | A | Α | Α | Α | Α | Α | A | Α |
| 44 | Р | E | Ε | Α | Р | Q | E | P | ν. |
| 46 | F | F | Υ | F | Y | F | F | Υ_ | F |
| 47 | T | S | S | 5 | S | S | S | s | S |
| 49 | Т | Т | Т | Т | Т | Т | T | T | Т |
| 50 | D | D | D | D | A | D | E | A | D |
| 53 | К | Κ | К | K | Κ | K | K | K | K |
| 54 | N | N | S | N | N | S | N | N# | N |
| 55 | К | K | K | K | κ | Κ | K | K | K |
| 56 | G | G | G | G | G | G | G | G | G |
| 57 | 1 | ı | 1 | 1 | 1 | 1 | | 1 | 1 |
| 58 | Т | Т | V | Т | 1 | Т | Т | T | T |
| 60 | Κ | G | N | G | G | Q | G | G | G |
| 61 | E | E | N | E | E | Q | E | E | E |
| 62 | E | D | D | D | D | E | E | D | D |
| 63 | Т | Т | Т | Т | Т | Т | Т | T | Т |
| 64 | L | L | L | L | L | L | L | L | L |
| 65 | М | М | М | М | М | R | М | M | M |
| 66 | E | E | E | Е | E | . 1 | E | E | E |
| 100 | Κ | D | S | S | κ | κ | D | K | κ |
| 101 | А | Α | А | А | А | Т | А | A | А |
| 102 | . Т | Т | Т | С | Т | А | Т | T | Т |
| 103 | N | S | S | S | N | А | S | N | N |
| 104 | | K | | K | E | S | Κ | E | E |

Cytochrome c Amino-Acid Sequence Differences
Between Humans and Other Verte brate Species

| Species | Number of differences from human cytochrome c |
|---------|---|
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| · | |

- ♦ According to this line of evidence, which organism is most closely related to humans? Which is least closely related to humans?
- ♦ Frog and turtle cytochrome c molecules have the same number of differences from human cytochrome c. Which vertebrate, frog or turtle, would you put higher on the list? Explain.

HRW material copyrighted under notice appearing earlier in this work

Part 2—Hemoglobin

3. Look at the amino-acid sequences shown below. These sequences are portions of the hemoglobin molecules of five organisms. The portion of the chains shown are from amino acid number 87 to amino acid number 116 in a sequence of 146 amino acids.

Hemoglobin Amino-Acid Sequences

| AA# | Human | Chimpanzee | Gorilla | Monkey | Horse |
|----------|-------|------------|---------|--------|-------|
| 87 87 | THR | THR | THR | GLN | ALA |
| 88 | LEU | LEU | LEU | LEU | LEU |
| 89 | SER | SER | SER | SER | SER |
| 90 | GLU | GLU | GLU | GLU | GLU |
| 91 | LEU | LEU | LEU | LEU, | LEU |
| 92 | HIS | HIS | HIS | HIS | HIS |
| 93 | CYS | CYS | CYS | CYS | CYS- |
| 94 | ASP | ASP | ASP | ASP , | ASP |
| 95 | LYS | LYS | LYS | LYS · | LYS |
| 96 | LEU | LEU | LEU | LEU - | LEU |
| 97 | HIS | HIS | HIS | HIS | HIS |
| 98 | VAL | VAL | VAL | VAL | VAL |
| 99 | ASP | ASP | ASP | ASP · | ASP |
| 100 | PRO | PRO | PRO | PRO | PRO · |
| 101 | ĢLU | GLU | GLU | GLU | GLU |
| 102 | ASN | ASN | ASN | ASN | ASN |
| 103 | PHE | PHE | PHE | PHE | PHE |
| 104 | ARG | ARG | LYS | LYS | ARG |
| 105 | LEU | LEU | LEU | LEU | LEU |
| 106 | LEU | LEU | LEU | LEU | LEU |
| 107 | GLY | GLY | GLY | GLY | GLY |
| 108 | ASN | ASN | ASN | ASN | ASN |
| 109 | VAL | VAL | VAL | VAL | VAL |
| 110 | LEU | LEU | LEU | LEU | LEU |
| 111 | VAL | VAL | VAL | VAL | ALA |
| 112 | CYS | CYS | CYS | CYS | LEU |
| 113 | VAL | VAL | VAL | VAL | VAL |
| 114 | LEU | LEU | LEU | LEU | VAL |
| 115 | ALA | ALA | ALA | ALA | ALA |
| 116 | | HIS | HIS | His | ARG |

HRW material copyrighted under notice appearing out

4. Compare the amino-acid sequence of human hermoglobin molecules with that of each of the other four vertebrates. For each vertebrate's sequence, count the number of amino acids that differ from the human sequence and list them in the table below. Be sure to list the anirmal species in descending order according to their degree of evolutionary closeness to humans.

Hemoglobin Amino-Acid Sequence Similarities Between Humans and Other Vertebrate Species

| Species | Number of differences from human hemoglobin |
|---------|---|
| | - |
| | |
| | |
| | |

♦ In the study of hemoglobin, which vertebrate is most closely related to humans? Least closely related?

Analysis

5. What are some methods biologists use to determine evolutionary relationships?

6. Why can it be said that proteins behave like no olecular clocks?

HRW material copyrighted under notice appearing earlier in this work.

HRW material copyrighted under notice appearing earlier in this work.

| | _ |
|--------------|--|
| | 7. When the portions of the gorilla and human hemoglobin molecules were |
| | compared, there was only one difference in the amino-acid sequence. What |
| | could have been responsible for this change? |
| | could have been responsible for this distance. |
| | |
| | |
| | |
| | |
| | 8. If the amino-acid sequences are similar in gorillas and humans, will the |
| | nucleotide sequence of their DNA also be similar? Why or why not? |
| | nucleonide sequence of their 21th 22th |
| | |
| | |
| | |
| | |
| Conclusions | 9. Examine the data table you completed in step 2 of Part 1. The values listed for |
| Colletasions | the chicken and the horse differ by only one. Can you deduce from this that |
| | the chicken and the horse are closely related to each other? Why or why not? |
| | |
| • | |
| _ | |
| | |
| | |
| · | |
| | 1000 A form with a do of an arthur do |
| | 10. How is biochemical comparison different from other methods of eletermin- |
| | ing evolutionary relationships? |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| • | |
| | |
| | |
| | |
| | |
| F4 | 5 11. Do library or on-line research to discover what other types of molecules can |
| EXTENSION | be used to determine the evolutionary relationships among organ some based |
| À | on biochemical comparisons. |
| | |
| ₹A. | 12. Do research to find out how biologists determine the amino and sequence of |
| | · · · · · · · · · · · · · · · · · · · |

a protein molecule.